

IN THE CLAIMS:

Please amend claims 1- 16 as follows:

1. (Currently Amended) A heat exchanger ~~in which, comprising:~~
- modules ~~(2, 102, 202, 302, 402, 502, 602, 702)~~ ~~defined~~ defining a first path ~~(6)~~ for a first fluid, each comprising two metal sheets ~~(3)~~ forming between them a network of channels ~~(6)~~ which are located in parallel with each other from the fluidic point of view, each channel interposed between two neighbouring channels of the network being, over the whole of its developed length, adjacent to these two neighbouring channels from which it is isolated by two respective weld lines ~~(3)~~ connecting the two metal sheets ~~and;~~
- a second path ~~(28)~~ for a second fluid is defined between the modules; and characterised by an overall variation in the a passage cross-section over the length of at least one of the paths with continuity of the profiles of the channels.

2. (Currently Amended) A heat exchanger according to claim 1, characterised in that the pitch between the neighbouring weld lines ~~(604)~~ varies progressively over at least part of the length of the channels of one module ~~(602)~~.

3. (Currently Amended) A heat exchanger according to claim 1 or 2, characterised in that the inflation of the metal sheets of a module ~~(602)~~ varies progressively over at least part of the length of the channels.

4. (Currently Amended) A heat exchanger according to ~~one of~~
~~claims 1 to 3~~claim 1, characterised in that the pitch (~~$P_g, P_h, P_j, P_k, P_m, P_n$~~) between
neighbouring weld lines (4) ~~varies from one channel to the other of a module (402, 502).~~

5. (Currently Amended) A heat exchanger according to ~~one of~~
~~claims 1 to 4~~claim 1, characterised in that the inflation (~~$G_a, G_b, G_e, G_d, G_e, G_j, G_k, G_m,$~~
 ~~G_n~~) of the metal sheets of a module (~~102, 202, 302, 502~~) ~~varies from one channel to~~
~~another~~ (~~$G_a, G_b, G_e, G_d, G_e, G_j, G_k, G_m, G_n$~~).

6. (Currently Amended) A ~~Heat~~heat exchanger according to ~~one~~
~~of claims 1 to 5~~claim 1, characterised in that the arrangement of the modules in relation
to each other produces an overall variation in the passage cross-section over the length of
the second path (~~28~~).

7. (Currently Amended) A heat exchanger according to ~~one of~~
~~claims 1 to 6~~claim 1, characterised in that the overall variation in the cross-section of one
of the paths is in the same direction as a variation in the flow rate of gas in this path
intended for a phase change process.

8. (Currently Amended) A heat exchanger according to ~~one of~~
~~claims 1 to 7~~claim 1, characterised in that the modules are in parallel planes (~~P~~).

9. (Currently Amended) A heat exchanger according to ~~one of~~
~~claims 1 to 7~~ claim 1, characterised in that the modules are in convergent planes (P_i).

10. (Currently Amended) A heat exchanger according to claim 1,
~~one of claims 1 to 9~~, characterised in that the modules have longitudinal edges (~~37~~)
forming an angle with each other, each being almost parallel to a respective outside weld
line (~~604~~).

11. (Currently Amended) A heat exchange module (~~2, 102, 202,~~
~~302, 402, 502, 602~~), ~~each one comprising~~ two metal sheets (~~3~~) which between them form
a network of channels located in parallel to each other from a fluidic point of view, each
channel interposed between two neighbouring channels of the network being adjacent
over its whole developed length to these two neighbouring channels from which it is
isolated by two respective weld lines joining the two metal sheets, ~~characterised by and~~
wherein an overall variation in the passage cross-section is defined by the channels with
continuity of profile of the channels.

12. (Currently Amended) A heat exchange module according to
claim 11, characterised in that the pitch between neighbouring weld lines (~~604~~) varies
progressively over at least part of the length of the channels.

13. (Currently Amended) A heat exchange module according to claim 11 ~~or 12~~, characterised in that the inflation of the metal sheets varies progressively over at least part of the length of the channels.

14. (Currently Amended) A heat exchange module according to ~~one of claims 11 to 13~~ claim 11, characterised in that the pitch ($P_g, P_h, P_j, P_k, P_m, P_n$) between the neighbouring weld lines (4) varies from one channel the other.

15. (Currently Amended) A heat exchange module according to ~~one of claims 11 to 14~~ claim 11, characterised in that the inflation ($G_a, G_b, G_e, G_d, G_e, G_j, G_k, G_m, G_n$) of the metal sheets varies from one channel to the other.

16. (Currently Amended) A heat exchange module according to ~~one of claims 11 to 15~~ claim 11, characterised in that it comprises longitudinal edges (37) each forming an angle with the other, each being almost parallel to a respective outside line of weld.